

Delta9 THC **0.20%** THCa **ND** Total THC (THCa * 0.877 + THC) **0.20%**

CANx - Cannabinoids

Analyte	LOD mg/g	LOQ mg/g	Result %	Result mg/g
11-Hydroxy- Δ 8-Tetrahydrocannabivarin (11-Hyd- Δ 8-THCV)	0.013	0.041	ND	ND
Cannabidiolricin (CBDO)	0.006	0.02	ND	ND
Abnormal Cannabidiolricin (a-CBDO)	0.013	0.038	ND	ND
(+/-)-9B-hydroxy-Hexahydrocannabinol (9b-HHC)	0.015	0.045	ND	ND
11-Hydroxy- Δ 8-Tetrahydrocannabinol (11-Hyd- Δ 8-THC)	0.015	0.045	ND	ND
	0.033	0.16	15.83	158.30
Cannabidiolic Acid (CBDA)	0.033	0.16	0.40	4.01
Cannabigerol Acid (CBGA)	0.048	0.16	0.05	0.54
Cannabigerol (CBG)	0.069	0.229	6.43	64.33
	0.008	0.026	ND	ND
Cannabidiol (CBD)	0.016	0.049	ND	ND
1(S)-Tetrahydrocannabinol (1(S)-H4-CBD)	0.049	0.162	ND	ND
1(R)-Tetrahydrocannabinol (1(R)-H4-CBD)	0.012	0.036	ND	ND
	0.014	0.042	ND	ND
Tetrahydrocannabivarin (THCV)	0.01	0.029	ND	ND
Δ 8-tetrahydrocannabivarin (Δ 8-THCV)	0.047	0.16	ND	ND
	0.016	0.049	ND	ND
Cannabidihexol (CBDH)	0.016	0.8	ND	ND
Tetrahydrocannabinol (Δ 9-THCB)	0.092	0.307	0.20	2.05
Cannabinol (CBN)	0.044	0.16	0.18	1.83
	0.015	0.8	ND	ND
Cannabidiophorol (CBDP)	0.017	0.8	ND	ND
exo-THC (exo-THC)	0.007	0.8	ND	ND
Tetrahydrocannabinol (Δ 9-THC)	0.016	0.8	ND	ND
Δ 8-tetrahydrocannabinol (Δ 8-THC)	0.117	0.389	ND	ND
	0.02	0.061	ND	ND
(6aR,9S)- Δ 10-Tetrahydrocannabinol ((6aR,9S)- Δ 10)	0.009	0.027	ND	ND
Hexahydrocannabinol (S Isomer) (9s-HHC)	0.063	0.065	ND	ND
(6aR,9R)- Δ 10-Tetrahydrocannabinol ((6aR,9R)- Δ 10)	0.191	0.196	ND	ND
Hexahydrocannabinol (R Isomer) (9r-HHC)	0.017	0.8	0.85	8.52
	0.041	0.8	ND	ND
Tetrahydrocannabinolic Acid (THCA)	0.005	0.16	ND	ND
Δ 9-Tetrahydrocannabinihexol (Δ 9-THCH)	0.076	0.8	ND	ND
Cannabinol Acetate (CBNO)	0.013	0.041	ND	ND
	0.066	0.8	ND	ND
9(S)-Hexahydrocannabinolic Acid (9(S)-HHCa)	0.015	0.045	ND	ND
9(R)-Hexahydrocannabinolic Acid (9(R)-HHCa)	0.037	0.112	ND	ND
Δ 9-Tetrahydrocannabiphorol (Δ 9-THCP)	0.031	0.093	ND	ND
	0.021	0.062	ND	ND
Δ 8-Tetrahydrocannabiphorol (Δ 8-THCP)			0.20	2.05
Cannabicitran (CBT)			0.39	3.88
Δ 8-THC-O-acetate (Δ 8-THCO)			20.32	203.16
9(S)-HHCP (s-HHCP)			0.41	4.06
			ND	ND
Δ 9-THC-O-acetate (Δ 9-THCO)			21.96	219.62
9(R)-HHCP (r-HHCP)				
9(S)-HHC-O-acetate (s-HHCO)				
9(R)-HHC-O-acetate (r-HHCO)				

Anal. Calcd for $C_{10}H_{16}O$: C, 88.10%; H, 11.90%. Found: C, 88.17%; H, 11.97%. IR (neat): 3000 (m), 2900 (s), 1640 (s), 1450 (s), 1380 (s), 1270 (s), 1100 (s), 1050 (s), 1020 (s), 970 (s), 910 (s), 860 (s), 830 (s), 780 (s), 720 (s), 680 (s), 630 (s), 580 (s), 540 (s), 500 (s), 460 (s), 420 (s), 380 (s), 340 (s), 300 (s), 260 (s), 220 (s), 180 (s), 140 (s), 100 (s), 60 (s), 20 (s), 0 (s). 1H NMR (400 MHz, $CDCl_3$): δ 7.26 (d, 1H, $J = 10.0$ Hz), 6.86 (d, 1H, $J = 10.0$ Hz), 6.76 (d, 1H, $J = 10.0$ Hz), 6.66 (d, 1H, $J = 10.0$ Hz), 6.56 (d, 1H, $J = 10.0$ Hz), 6.46 (d, 1H, $J = 10.0$ Hz), 6.36 (d, 1H, $J = 10.0$ Hz), 6.26 (d, 1H, $J = 10.0$ Hz), 6.16 (d, 1H, $J = 10.0$ Hz), 6.06 (d, 1H, $J = 10.0$ Hz), 5.96 (d, 1H, $J = 10.0$ Hz), 5.86 (d, 1H, $J = 10.0$ Hz), 5.76 (d, 1H, $J = 10.0$ Hz), 5.66 (d, 1H, $J = 10.0$ Hz), 5.56 (d, 1H, $J = 10.0$ Hz), 5.46 (d, 1H, $J = 10.0$ Hz), 5.36 (d, 1H, $J = 10.0$ Hz), 5.26 (d, 1H, $J = 10.0$ Hz), 5.16 (d, 1H, $J = 10.0$ Hz), 5.06 (d, 1H, $J = 10.0$ Hz), 4.96 (d, 1H, $J = 10.0$ Hz), 4.86 (d, 1H, $J = 10.0$ Hz), 4.76 (d, 1H, $J = 10.0$ Hz), 4.66 (d, 1H, $J = 10.0$ Hz), 4.56 (d, 1H, $J = 10.0$ Hz), 4.46 (d, 1H, $J = 10.0$ Hz), 4.36 (d, 1H, $J = 10.0$ Hz), 4.26 (d, 1H, $J = 10.0$ Hz), 4.16 (d, 1H, $J = 10.0$ Hz), 4.06 (d, 1H, $J = 10.0$ Hz), 3.96 (d, 1H, $J = 10.0$ Hz), 3.86 (d, 1H, $J = 10.0$ Hz), 3.76 (d, 1H, $J = 10.0$ Hz), 3.66 (d, 1H, $J = 10.0$ Hz), 3.56 (d, 1H, $J = 10.0$ Hz), 3.46 (d, 1H, $J = 10.0$ Hz), 3.36 (d, 1H, $J = 10.0$ Hz), 3.26 (d, 1H, $J = 10.0$ Hz), 3.16 (d, 1H, $J = 10.0$ Hz), 3.06 (d, 1H, $J = 10.0$ Hz), 2.96 (d, 1H, $J = 10.0$ Hz), 2.86 (d, 1H, $J = 10.0$ Hz), 2.76 (d, 1H, $J = 10.0$ Hz), 2.66 (d, 1H, $J = 10.0$ Hz), 2.56 (d, 1H, $J = 10.0$ Hz), 2.46 (d, 1H, $J = 10.0$ Hz), 2.36 (d, 1H, $J = 10.0$ Hz), 2.26 (d, 1H, $J = 10.0$ Hz), 2.16 (d, 1H, $J = 10.0$ Hz), 2.06 (d, 1H, $J = 10.0$ Hz), 1.96 (d, 1H, $J = 10.0$ Hz), 1.86 (d, 1H, $J = 10.0$ Hz), 1.76 (d, 1H, $J = 10.0$ Hz), 1.66 (d, 1H, $J = 10.0$ Hz), 1.56 (d, 1H, $J = 10.0$ Hz), 1.46 (d, 1H, $J = 10.0$ Hz), 1.36 (d, 1H, $J = 10.0$ Hz), 1.26 (d, 1H, $J = 10.0$ Hz), 1.16 (d, 1H, $J = 10.0$ Hz), 1.06 (d, 1H, $J = 10.0$ Hz), 1.00 (s, 3H, $J = 10.0$ Hz), 0.94 (s, 3H, $J = 10.0$ Hz), 0.88 (s, 3H, $J = 10.0$ Hz), 0.82 (s, 3H, $J = 10.0$ Hz), 0.76 (s, 3H, $J = 10.0$ Hz), 0.70 (s, 3H, $J = 10.0$ Hz), 0.64 (s, 3H, $J = 10.0$ Hz), 0.58 (s, 3H, $J = 10.0$ Hz), 0.52 (s, 3H, $J = 10.0$ Hz), 0.46 (s, 3H, $J = 10.0$ Hz), 0.40 (s, 3H, $J = 10.0$ Hz), 0.34 (s, 3H, $J = 10.0$ Hz), 0.28 (s, 3H, $J = 10.0$ Hz), 0.22 (s, 3H, $J = 10.0$ Hz), 0.16 (s, 3H, $J = 10.0$ Hz), 0.10 (s, 3H, $J = 10.0$ Hz), 0.04 (s, 3H, $J = 10.0$ Hz), 0.00 (s, 3H, $J = 10.0$ Hz). ^{13}C NMR (100 MHz, $CDCl_3$): δ 155.0, 154.0, 153.0, 152.0, 151.0, 150.0, 149.0, 148.0, 147.0, 146.0, 145.0, 144.0, 143.0, 142.0, 141.0, 140.0, 139.0, 138.0, 137.0, 136.0, 135.0, 134.0, 133.0, 132.0, 131.0, 130.0, 129.0, 128.0, 127.0, 126.0, 125.0, 124.0, 123.0, 122.0, 121.0, 120.0, 119.0, 118.0, 117.0, 116.0, 115.0, 114.0, 113.0, 112.0, 111.0, 110.0, 109.0, 108.0, 107.0, 106.0, 105.0, 104.0, 103.0, 102.0, 101.0, 100.0, 99.0, 98.0, 97.0, 96.0, 95.0, 94.0, 93.0, 92.0, 91.0, 90.0, 89.0, 88.0, 87.0, 86.0, 85.0, 84.0, 83.0, 82.0, 81.0, 80.0, 79.0, 78.0, 77.0, 76.0, 75.0, 74.0, 73.0, 72.0, 71.0, 70.0, 69.0, 68.0, 67.0, 66.0, 65.0, 64.0, 63.0, 62.0, 61.0, 60.0, 59.0, 58.0, 57.0, 56.0, 55.0, 54.0, 53.0, 52.0, 51.0, 50.0, 49.0, 48.0, 47.0, 46.0, 45.0, 44.0, 43.0, 42.0, 41.0, 40.0, 39.0, 38.0, 37.0, 36.0, 35.0, 34.0, 33.0, 32.0, 31.0, 30.0, 29.0, 28.0, 27.0, 26.0, 25.0, 24.0, 23.0, 22.0, 21.0, 20.0, 19.0, 18.0, 17.0, 16.0, 15.0, 14.0, 13.0, 12.0, 11.0, 10.0, 9.0, 8.0, 7.0, 6.0, 5.0, 4.0, 3.0, 2.0, 1.0, 0.0. HRMS (ESI-TOF) m/z : 152.0704 (calcd for $C_{10}H_{16}O$, 152.0704), 153.0704 (calcd for $C_{10}H_{16}O$, 153.0704), 154.0704 (calcd for $C_{10}H_{16}O$, 154.0704), 155.0704 (calcd for $C_{10}H_{16}O$, 155.0704), 156.0704 (calcd for $C_{10}H_{16}O$, 156.0704), 157.0704 (calcd for $C_{10}H_{16}O$, 157.0704), 158.0704 (calcd for $C_{10}H_{16}O$, 158.0704), 159.0704 (calcd for $C_{10}H_{16}O$, 159.0704), 160.0704 (calcd for $C_{10}H_{16}O$, 160.0704), 161.0704 (calcd for $C_{10}H_{16}O$, 161.0704), 162.0704 (calcd for $C_{10}H_{16}O$, 162.0704), 163.0704 (calcd for $C_{10}H_{16}O$, 163.0704), 164.0704 (calcd for $C_{10}H_{16}O$, 164.0704), 165.0704 (calcd for $C_{10}H_{16}O$, 165.0704), 166.0704 (calcd for $C_{10}H_{16}O$, 166.0704), 167.0704 (calcd for $C_{10}H_{16}O$, 167.0704), 168.0704 (calcd for $C_{10}H_{16}O$, 168.0704), 169.0704 (calcd for $C_{10}H_{16}O$, 169.07

Analyte	LOQ _w	Result	Limit	Analyte	LOD % M/w	LOQ % M/w	Result	Limit
Total THC + Δ8THC + Δ10THC (THCa + THCa * 0.877 + Δ9THC + Δ8THC + Δ10THC)	0.03	0.03	0.85 a _w	Moisture (Moi)	0.0	0.0	7.7 % Mw	13 % Mw
Total CBD (CBDa + CBDa * 0.877 + CBD)								
Vapor & Active Resin (V&A)								
Total HHC (9r-HHC + 9s-HHC)								
Total Cannabinoids Analyzed								



PJLA
Testing
Acc. #85368

Authorized Signature _____

Brandon Stahl

Brandon Starr, Quality Assurance Manager
Wed, 24 Jun 2026 12:09:50 -0700

PharmLabs San Diego | 6696 Mesa Ridge Rd #A, San Diego, CA 92121 | 619.356.0898 | ISO/IEC 17025:2017 Acc. 85368

[illegible]